

Australian Institute for Suicide Research and Prevention



Publications using or discussing Queensland Suicide Register data as at 26/11/2020

The QSR has produced 10 major reports:

Cantor, C. H. & Slater, P. J. (1994). *Suicide in Queensland 1990-1992. State Health Regional Profiles of Suicide.*

Baume, P. J. M., Cantor, C. H., & McTaggart, P. G. (1998). *Suicides in Queensland: a comprehensive study; 1990-1995* (pp. 1–61). Brisbane, Queensland: Australian Institute for Suicide Research and Prevention.

De Leo, D., & Evans, R. (2002). *Suicide in Queensland, 1996-1998: Mortality Rates and Related Data.* Mount Gravatt, Queensland: Australian Institute for Suicide Research and Prevention, Griffith University.

De Leo, D., & Heller, T. S. (2004). [*Suicide in Queensland, 1999-2001: mortality rates and related data*](#) (pp. 1–104). Mount Gravatt, Queensland: Australian Institute for Suicide Research and Prevention, Griffith University.

De Leo, D., Klieve, H., & Milner, A. (2006). [*Suicide in Queensland, 2002-2004: Mortality Rates and Related Data*](#) (pp. 1–108). Mount Gravatt, Queensland: Australian Institute for Suicide Research and Prevention, Griffith University.

De Leo, D., & Svetlicic, J. (2012). [*Suicide in Queensland, 2005-2007: Mortality Rates and Related Data*](#) (pp. 1–102). Mount Gravatt, Queensland: Australian Institute for Suicide Research and Prevention, Griffith University.

De Leo, D., Svetlicic, J., & Kumpula, E.-K. (2013). [*Suicide in Queensland, 2008-2010: Mortality Rates and Related Data*](#) (pp. 1–92). Woollahra, Australia: Longueville Media.

Potts, B., Kölves, K., O’Gorman, J., & De Leo, D. (2015). [*Suicide in Queensland, 2011-2013: Mortality Rates and Related Data*](#) (pp. 1–125). Mount Gravatt, Queensland: Australian Institute for Suicide Research and Prevention, Griffith University.

Leske, S., Crompton, D., & Kölves, K. (2019). [*Suicide in Queensland: Annual Report 2019*](#) (pp. 1–60). Brisbane, Queensland, Australia: Australian Institute for Suicide Research and Prevention, Griffith University.

Leske, S., Adam, G., Schrader, I., Catakovic, A., Weir, B., & Crompton, D. (2020). [*Suicide in Queensland: Annual Report 2020*](#) (pp. 1–32). Brisbane, Queensland, Australia: Australian Institute for Suicide Research and Prevention, School of Applied Psychology, Griffith University.

The QSR has also been used for 4 other reports:

De Leo, D., & Krysinka, K. (2007). Investigation into Queensland Rail suicide and prevention strategies. A report to Queensland Rail. Brisbane: Australian Institute for Suicide Research and Prevention.

Hawgood, J. L., Heller, T. S., & De Leo, D. (2014). Investigation into Suicide in Queensland’s Commercial Building Construction Industry. A report to the Construction Training Council (pp. 1–63). Brisbane, Queensland: Australian Institute for Suicide Research and Prevention.

Kölves, K., Milner, A. J., & De Leo, D. (2009). Suicide risk in different sub-populations in Australia (Queensland). A report to the Commonwealth of Australia Department of Health and Ageing. Brisbane: Australian Institute for Suicide Research and Prevention.

Parkyn, M., Kiemo, K., Heller, T. S., & De Leo, D. (2004). Suicide from the Story Bridge: Characteristics and Potential for Prevention. A report to the Brisbane City Council. Brisbane, Queensland: Australian Institute for Suicide Research and Prevention.

It has been used in 1 book chapter:

Neulinger, K., & De Leo, D. (2001). Suicide in Elderly and Youth Populations--How do They Differ? In D. De Leo (Ed.), *Suicide and euthanasia in older adults: A transcultural journey* (pp. 137–153). Ashland, OH, US: Hogrefe & Huber Publishers.



The QSR has been used in 59 peer-reviewed journal articles:

Andersen, K., Hawgood, J., Klieve, H., Kölves, K., & De Leo, D. (2010). Suicide in selected occupations in Queensland: evidence from the State suicide register. *Australian & New Zealand Journal of Psychiatry*, 44(3), 243–249. <https://doi.org/10.3109/00048670903487142>

Arnautovska, U., McPhedran, S., & De Leo, D. (2014). A regional approach to understanding farmer suicide rates in Queensland. *Social Psychiatry and Psychiatric Epidemiology*, 49(4), 593–599. <https://doi.org/10.1007/s00127-013-0777-9>

Arnautovska, U., McPhedran, S., & De Leo, D. (2015). Differences in characteristics between suicide cases of farm managers compared to those of farm labourers in Queensland, Australia. *Rural and Remote Health*, 15(3), 3250. <https://www.rrh.org.au/journal/download/pdf/3250/>

Arnautovska, U., McPhedran, S., Kelly, B., Reddy, P., & De Leo, D. (2016). Geographic variation in suicide rates in Australian farmers: Why is the problem more frequent in Queensland than in New South Wales? *Death Studies*, 40(6), 367–372. <https://doi.org/10.1080/07481187.2016.1153007>

Arnautovska, U., Svetcic, J., & De Leo, D. (2014). What differentiates homeless persons who died by suicide from other suicides in Australia? A comparative analysis using a unique mortality register. *Social Psychiatry and Psychiatric Epidemiology*, 49(4), 583–589. <https://doi.org/10.1007/s00127-013-0774-z>

Barker, E., O’Gorman, J., & De Leo, D. (2014a). Suicide around public holidays. *Australasian Psychiatry: Bulletin of Royal Australian and New Zealand College of Psychiatrists*, 22(2), 122–126. <https://doi.org/10.1177/1039856213519293>

Barker, E., O’Gorman, J. G., & De Leo, D. (2014b). Suicide around anniversary times. *Omega - Journal of Death and Dying*, 69(3), 305–310. <https://doi.org/10.2190/OM.69.3.e>

Cantor, C. H., Hickey, P. A., & De Leo, D. (2000). Seasonal variation in suicide in a predominantly Caucasian tropical/subtropical region of Australia. *Psychopathology*, 33(6), 303–306. <https://doi.org/10.1159/000029162>

Cantor, C., McTaggart, P., & De Leo, D. (2001). Misclassification of suicide - The contribution of opiates. *Psychopathology*, 34(3), 140–146. <https://doi.org/10.1159/000049297>

Cantor, C.H., & Slater, P. J. (1995). The impact of firearm control legislation on suicide in Queensland: Preliminary findings. *Medical Journal of Australia*, 162(11), 583–585. <https://doi.org/10.5694/j.1326-5377.1995.tb138547.x>

Cantor, C.H., Slater, P. J., & Najman, J. M. (1995). Socioeconomic indices and suicide rate in Queensland. *Australian Journal of Public Health*, 19(4), 417–420. <https://doi.org/10.1111/j.1753-6405.1995.tb00397.x>

Cantor, Chris, & McTaggart, P. (1998). Involvement of alcohol in murder suicides. *Psychological Reports*, 83(1), 261–262. <https://doi.org/10.2466/pr0.1998.83.1.261>

Cantor, Christopher H., & Slater, P. J. (1995). Marital Breakdown, Parenthood, and Suicide. *Journal of Family Studies*, 1(2), 91–102. <https://doi.org/10.5172/jfs.1.2.91>

De Leo, D., Dudley, M. J., Aebersold, C. J., Mendoza, J. A., Barnes, M. A., Harrison, J. E., & Ranson, D. L. (2010). Achieving standardised reporting of suicide in Australia: rationale and program for change. *Medical Journal of Australia*, 192(8), 452–456. <https://doi.org/10.5694/j.1326-5377.2010.tb03584.x>

De Leo, D., & Heller, T. (2008). Social Modeling in the Transmission of Suicidality. *Crisis*, 29(1), 11–19. <https://doi.org/10.1027/0227-5910.29.1.11>

De Leo, D., Hickey, P. A., Meneghel, G., & Cantor, C. H. (1999). Blindness, fear of sight loss, and suicide. *Psychosomatics*, 40(4), 339–344. [https://doi.org/10.1016/S0033-3182\(99\)71229-6](https://doi.org/10.1016/S0033-3182(99)71229-6)

De Leo D., & Kryszynska K. (2008). Suicidal behaviour by train collision in Queensland, 1990–2004. *Australian & New Zealand Journal of Psychiatry*, 42(9), 772–779. <https://doi.org/10.1080/00048670802277263>

De Leo, D., Milner, A., Fleischmann, A., Bertolote, J., Collings, S., Amadeo, S., ... Wang, X. (2013). The WHO START study: suicidal behaviors across different areas of the world. *Crisis*, 34(3), 156–163. <https://doi.org/10.1027/0227-5910/a000193>

De Leo D., Milner A., & Svetcic J. (2012). Mental Disorders and Communication of Intent to Die in Indigenous Suicide Cases, Queensland, Australia. *Suicide & Life-Threatening Behavior*, 42(2), 136–146. <https://doi.org/10.1111/j.1943-278X.2011.00077.x>

De Leo, D. (2007). Suicide mortality data need revision. *Medical Journal of Australia*, 186(3), 157–158. <https://doi.org/10.5694/j.1326-5377.2007.tb00845.x>

De Leo, D. (2010). Australia Revises its Mortality Data on Suicide. *Crisis*, 31(4), 169–173. <https://doi.org/10.1027/0027-5910/a000043>



- De Leo, D., Evans, R., & Neulinger, K. (2002). Hanging, fire-arm, and non-domestic gas suicides among males: a comparative study. *Australian & New Zealand Journal of Psychiatry*, 36(2), 183–189. <https://doi.org/10.1046/j.1440-1614.2001.01013.x>
- De Leo, D., & Klieve, H. (2007). Communication of suicide intent by schizophrenic subjects: data from the Queensland Suicide Register. *International Journal of Mental Health Systems*, 1, 6. <https://doi.org/10.1186/1752-4458-1-6>
- De Leo, D., Svetcic, J., & Milner, A. (2011). Suicide in Indigenous people in Queensland, Australia: trends and methods, 1994–2007. *Australian & New Zealand Journal of Psychiatry*, 45(7), 532–538. <https://doi.org/10.3109/00048674.2011.570310>
- De Leo, D., Too, L. S., Kölves, K., Milner, A., & Ide, N. (2013). Has the Suicide Rate Risen with the 2011 Queensland Floods? *Journal of Loss & Trauma*, 18(2), 170–178. <https://doi.org/10.1080/15325024.2012.684581>
- Heller, T. S., Hawgood, J. L., & de Leo, D. (2007). Correlates of Suicide in Building Industry Workers. *Archives of Suicide Research*, 11(1), 105–117. <https://doi.org/10.1080/13811110600992977>
- Kavalidou, K., McPhedran, S., & Leo, D. D. (2015). Farmers' contact with health care services prior to suicide: evidence for the role of general practitioners as an intervention point. *Australian Journal of Primary Health*, 21(1), 102–105. <https://doi.org/10.1071/PY13077>
- Klieve, H., Barnes, M., & De Leo, D. (2009). Controlling firearms use in Australia: Has the 1996 gun law reform produced the decrease in rates of suicide with this method? *Social Psychiatry and Psychiatric Epidemiology*, 44(4), 285–292. <https://doi.org/10.1007/s00127-008-0435-9>
- Klieve, H., Svetcic, J., & De Leo, D. (2009). Who uses firearms as a means of suicide? A population study exploring firearm accessibility and method choice. *BMC Medicine*, 7, 52. <https://doi.org/10.1186/1741-7015-7-52>
- Kolves, K., & De Leo, D. (2013). Suicide in Medical Doctors and Nurses: An Analysis of the Queensland Suicide Register. *Journal of Nervous & Mental Disease*, 201(11), 987–990. <https://doi.org/10.1097/NMD.0000000000000047>
- Kölves, K., & De Leo, D. (2014). Are immigrants responsible for the recent decline in Australian suicide rates? *Epidemiology and Psychiatric Sciences*, 24(3), 241–248. <https://doi.org/10.1017/S2045796014000122>
- Kölves, K., & De Leo, D. (2015). Child, Adolescent and Young Adult Suicides: A Comparison Based on the Queensland Suicide Registry. *Journal of Child and Adolescent Behavior*, 3(3), 1–5. <https://doi.org/10.4172/2375-4494.1000209>
- Kölves, K., McDonough, M., Crompton, D., & de Leo, D. (2018). Choice of a suicide method: Trends and characteristics. *Psychiatry Research*, 260, 67–74. <https://doi.org/10.1016/j.psychres.2017.11.035>
- Kölves, K., Potts, B., & De Leo, D. (2015). Ten years of suicide mortality in Australia: Socio-economic and psychiatric factors in Queensland. *Journal of Forensic & Legal Medicine*, 36, 136–143. <https://doi.org/10.1016/j.jflm.2015.09.012>
- Kölves, K., Koo, Y. W., & Leo, D. de. (2020). A drink before suicide: Analysis of the Queensland Suicide Register in Australia. *Epidemiology and Psychiatric Sciences*, 29(e94). <https://doi.org/10.1017/S2045796020000062>
- Koo, Y. W., Kölves, K., & De Leo, D. (2017). Profiles by suicide methods: an analysis of older adults. *Aging & Mental Health*, 1–7. <https://doi.org/10.1080/13607863.2017.1411884>
- Koo, Y. W., Kölves, K., De Leo, D., & Kölves, K. (2017a). Suicide in older adults: a comparison with middle-aged adults using the Queensland Suicide Register. *International Psychogeriatrics*, 29(3), 419–430. <https://doi.org/10.1017/S1041610216001848>
- Koo, Y. W., Kölves, K., De Leo, D., & Kölves, K. (2017b). Suicide in older adults: differences between the young-old, middle-old, and oldest old. *International Psychogeriatrics*, 29(8), 1297–1306. <https://doi.org/10.1017/S1041610217000618>
- Law, C.-K., & De Leo, D. (2013). Seasonal differences in the day-of-the-week pattern of suicide in Queensland, Australia. *International Journal of Environmental Research and Public Health*, 10(7), 2825–2833. <https://doi.org/10.3390/ijerph10072825>
- Law, C.-K., Kölves, K., & De Leo, D. (2014). Suicide mortality in second-generation migrants, Australia, 2001–2008. *Social Psychiatry and Psychiatric Epidemiology*, 49(4), 601–608. <https://doi.org/10.1007/s00127-013-0769-9>
- Law, C.-K., Snider, A.-M., & De Leo, D. (2014). The influence of deprivation on suicide mortality in urban and rural Queensland: An ecological analysis. *Social Psychiatry and Psychiatric Epidemiology*, 49(12), 1919–1928. <https://doi.org/10.1007/s00127-014-0905-1>



- Law, C.-K., Svetlicic, J., & De Leo, D. (2014). Restricting access to a suicide hotspot does not shift the problem to another location. An experiment of two river bridges in Brisbane, Australia. *Australian and New Zealand Journal of Public Health*, 38(2), 134–138. <https://doi.org/10.1111/1753-6405.12157>
- Leske, S., Kölves, K., Crompton, D., Arensman, E., & Leo, D. de. (2020). Real-time suicide mortality data from police reports in Queensland, Australia, during the COVID-19 pandemic: An interrupted time-series analysis. *The Lancet Psychiatry*, 0(0). [https://doi.org/10.1016/S2215-0366\(20\)30435-1](https://doi.org/10.1016/S2215-0366(20)30435-1)
- McPhedran, S., & De Leo, D. (2013). Miseries suffered, unvoiced, unknown? Communication of suicidal intent by men in 'rural' Queensland, Australia. *Suicide and Life-Threatening Behavior*, 43(6), 589–597. <https://doi.org/10.1111/sltb.12041>
- McPhedran, S. (2015). Does the resources sector have higher suicide rates? A comparative analysis of suicide rates among men in the mining industry and other occupations, in Queensland (Australia). *Work*, 51(2), 255–260. <https://doi.org/10.3233/WOR-152019>
- McPhedran, S., & De Leo, D. (2013). Risk factors for suicide among rural men: are farmers more socially isolated? *International Journal of Sociology and Social Policy*, 33(11/12), 762–772. <https://doi.org/10.1108/IJSSP-03-2013-0038>
- McPhedran, S., & De Leo, D. (2014). Suicide among miners in Queensland, Australia: A comparative analysis of demographics, Psychiatric history, and stressful life events. *SAGE Open*, 3(4), 1–9. <https://doi.org/10.1177/2158244013511262>
- McPhedran, S., Eriksson, L., Mazerolle, P., De Leo, D., Johnson, H., & Wortley, R. (2018). Characteristics of Homicide-Suicide in Australia: A Comparison With Homicide-Only and Suicide-Only Cases. *Journal of Interpersonal Violence*, 33(11), 1805–1829. <https://doi.org/10.1177/0886260515619172>
- McPhedran, S., & De Leo, D. (2014). Relationship Quality, Work-Family Stress, and Mental Health Among Australian Male Mining Industry Employees. *Journal of Relationships Research*, 5(e3), 1–9. <https://doi.org/10.1017/jrr.2014.3>
- Milner, A., & De Leo, D. (2012). Suicide by Motor Vehicle 'Accident' in Queensland. *Traffic Injury Prevention*, 13(4), 342–347. <https://doi.org/10.1080/15389588.2012.660253>
- Ross, V., Kölves, K., & De Leo, D. (2017). Beyond psychopathology: A case-control psychological autopsy study of young adult males. *International Journal of Social Psychiatry*, 63(2), 151–160. <https://doi.org/10.1177/0020764016688041>
- Skerrett, D. M., Kölves, K., & De Leo, D. (2015). Are LGBT populations at a higher risk for suicidal behaviors in Australia? Research findings and implications. *Journal of Homosexuality*, 62(7), 883–901. <https://doi.org/10.1080/00918369.2014.1003009>
- Skerrett, D. M., Kölves, K., & De Leo, D. (2014). Suicides among lesbian, gay, bisexual, and transgender populations in Australia: an analysis of the Queensland Suicide Register. *Asia-Pacific Psychiatry: Official Journal of the Pacific Rim College of Psychiatrists*, 6(4), 440–446. <https://doi.org/10.1111/appy.12128>
- Soole, R., Kölves, K., & De Leo, D. (2014). Suicides in Aboriginal and Torres Strait Islander children: analysis of Queensland Suicide Register. *Australian and New Zealand Journal of Public Health*, 38(6), 574–578. <https://doi.org/10.1111/1753-6405.12259>
- Svetlicic, J., Too, L. S., & De Leo, D. (2012). Suicides by persons reported as missing prior to death: A retrospective cohort study. *BMJ Open*, 2(e000607), 1–9. <https://doi.org/10.1136/bmjopen-2011-000607>
- Svetlicic, J., McPhedran, S., & De Leo, D. (2013). Reviewing the revisions: what are the Australian Bureau of Statistics suicide figures really telling us? *Medical Journal of Australia*, 198(9), 478. <https://doi.org/10.5694/mja13.10203>
- Svetlicic, J., Milner, A., & De Leo, D. (2012). Contacts with mental health services before suicide: a comparison of Indigenous with non-Indigenous Australians. *General Hospital Psychiatry*, 34(2), 185–191. <https://doi.org/10.1016/j.genhosppsych.2011.10.009>
- Williams, R. F. G., Doessel, D. P., Svetlicic, J., & De Leo, D. (2010). Accuracy of official suicide mortality data in Queensland. *Australian & New Zealand Journal of Psychiatry*, 44(9), 815–822. <https://doi.org/10.3109/00048674.2010.483222>
- Wyder, M., Ward, P., & De Leo, D. (2009). Separation as a suicide risk factor. *Journal of Affective Disorders*. 116(3), 208–213. <https://doi.org/10.1016/j.jad.2008.11.007>



