


1 **GUTTER DETAIL**  
SCALE 1:1




GUTTER TO BE 304 STAINLESS STEEL; 0.8mm; WITH A CONTINUOUS CURVE, NOT SEGMENTED.

STAINLESS MESH

STAINLESS MESH FIXING DIRECTLY TO GUTTER TO AVOID CONTACT WITH COLORBOND ROOF


FOLD GUTTER OUT STRAIGHT 25mm FOR STAINLESS MESH FIXING



GUTTER BRACKET TO BE 304 STAINLESS STEEL OR HOT DIPPED GALVANISED TO APPROVED DETAIL


**HALF ROUND GUTTER BRACKET DETAILS**

SCALE 1:5



**HOLE DETAIL (UP TO 300 DIA)**

SCALE 1:5



**HOLE DETAIL (300 TO 450 DIA)**

SCALE 1:5

**NOTES**

- REFER TO ENGINEER'S DETAILS FOR SIZING OF RADIUS AND 'DIM A'.
- IF ROOF ENDS ARE VISIBLE, COVER WITH SCREW FIXED COLORBOND END FLASHING

TITLE  
**TYPICAL SELF CLEANING GUTTER**

PROJECT:  
**STANDARD DETAILS  
EXTERNAL WORKS**



**CAPITAL WORKS & MINOR PROJECTS  
CORPORATE SERVICES**

170 KESSELS ROAD, NATHAN QLD 4111  
T +61 7 3735 7111 griffith.edu.au

DATE  
30/03/2023

DRAWN BY  
WCO

SCALE  
AS SHOWN

APPROVED BY  
JS

DISCIPLINE  
N/A

REVISION  
5

PROJECT No:  
N/A

DRAWING No:  
GSD-106

SHEET No:  
1 of 1